ELSEVIER

Journal of Petroleum Science and Engineering 21 (1998) 291–292

JOURNAL OF PETROLEUM SCIENCE & ENGINEERING

Author index

Al-Majed, A.A., see Al-Otaibi, S.S. 21 (1998) 249
Al-Otaibi, S.S. and A.A. Al-Majed
Factors affecting pseudo relative permeability curves 21 (1998) 249
Almehaideb, R.A., see Nashawi, I.S. 21 (1998) 15
Amaefule, J.O., see Udegbunam, E. 21 (1998) 143

Bailey, W.J. and I.S. Weir
Investigation of methods for direct rheological model parameter estimation 21 (1998) 1
Ban, T., T. Sato and T.F. Yen
Interfacial activity of *n*-alkylamines from microbially produced spiculisporic acid 21 (1998) 223
Bentsen, R.G.
Effect of momentum transfer between fluid phases on effective mobility 21 (1998) 27
Braeuning, S., T.A. Jelmert and S.A. Vik
The effect of the quadratic gradient term on variable-rate well-tests 21 (1998) 203
Bratli, R.K., see Nawrocki, P.A. 21 (1998) 79
Burke, R.A., see Taylor, K.C. 21 (1998) 129
Butler, R.M., see Das, S.K. 21 (1998) 43

Coskuner, G. and T.C. Hyde
Homogeneous equivalents of naturally fractured porous media for miscible fluid displacements [Journal of Petroleum Science and Engineering 19 (1998) 145–157] 21 (1998) 289

Das, S.K. and R.M. Butler
Mechanism of the vapor extraction process for heavy oil and bitumen 21 (1998) 43
Dusseault, M.B., see Nawrocki, P.A. 21 (1998) 79

Elgibaly, A.A., see Nashawi, I.S. 21 (1998) 15

Fernandes, C.P., see Liang, Z.R. 21 (1998) 273

Gringarten, E., see Journel, A.G. 21 (1998) 95
Gundeso, R., see Journel, A.G. 21 (1998) 95

Hyde, T.C., see Coskuner, G. 21 (1998) 289

Jelmert, T.A., see Braeuning, S. 21 (1998) 203
Journel, A.G., R. Gundeso, E. Gringarten and T. Yao
Stochastic modelling of a fluvial reservoir: a comparative review of algorithms 21 (1998) 95

Kwan, M.Y.
Measuring wettability of unconsolidated oil sands using the USBM method 21 (1998) 61

Li, X., see Zhang, W. 21 (1998) 239
Liang, Z.R., C.P. Fernandes, F.S. Magnani and P.C. Philippi
A reconstruction technique for three-dimensional porous media using image analysis and Fourier transforms 21 (1998) 273
Liu, Z.-h., see Zhang, J.-h. 21 (1998) 123
Lynn, J.D. and H.A. Nasr-El-Din
Evaluation of formation damage due to frac stimulation of a Saudi Arabian clastic reservoir 21 (1998) 179

Magnani, F.S., see Liang, Z.R. 21 (1998) 273
Mumallah, N.A.
Reaction rates of hydrochloric acid with chalks 21 (1998) 165

Nashawi, I.S., A.A. Elgibaly and R.A. Almehaideb
Pressure buildup analysis of gas wells with damage and non-Darcy flow effect 21 (1998) 15
Nasr-El-Din, H.A., see Lynn, J.D. 21 (1998) 179
Nasr-El-Din, H.A., see Taylor, K.C. 21 (1998) 129
Nawrocki, P.A., M.B. Dusseault and R.K. Bratli
Use of uniaxial compression test results in stress modelling around openings in nonlinear geomaterials 21 (1998) 79

Philippi, P.C., see Liang, Z.R. 21 (1998) 273

Sachs, W.
The diffusional transport of methane in liquid water: method and result of experimental investigation at elevated pressure 21 (1998) 153
Sato, T., see Ban, T. 21 (1998) 223
Schramm, L.L., see Taylor, K.C. 21 (1998) 129

Taylor, K.C., R.A. Burke, H.A. Nasr-El-Din and L.L. Schramm
Development of a flow injection analysis method for the determination of acrylamide copolymers in brines 21 (1998) 129
Tenchov, G.G.
Evaluation of electrical conductivity of shaly sands using the theory of mixtures 21 (1998) 263

Udegbunam, E. and J.O. Amaefule
An improved technique for modeling initial reservoir hydrocarbon saturation distributions: applications in Illinois (USA) Aux Vases oil reservoirs 21 (1998) 143

Vik, S.A., see Braeuning, S. 21 (1998) 203

Weir, I.S., see Bailey, W.J. 21 (1998) 1

Yao, T., see Journel, A.G. 21 (1998) 95
Yen, T.F., see Ban, T. 21 (1998) 223

Zhang, J.-h. and Z.-h. Liu
Study of the relationship between fractal dimension and viscosity ratio for viscous fingering with a modified DLA model 21 (1998) 123
Zhang, W. and X. Li
Optimum source frequency in vibration production technology 21 (1998) 239